BHHC-2-5-B-1
AC Goebel Photo

1907 Tucson, 1st visit brother on in El Paso

(Local Board Stamp)
LOCAL BOARD FOR
COCHISE COUNTY
TOMBSTONE
STATE OF ARIZONA

Walter Emil Goebel

Serial No. 5407, has been finally

Division A

63—5121 *Member of Local Board.*

2018-002-101



The law requires that this card be carried at all times and exhibited upon request of any Federal, State, or Municipal Officer charged with the enforcement of the law, or Local or District Board Member or authorized representative thereof.

Failure to comply may subject you to detention by the police and serious personal inconvenience.

See Sec. 57, SELECTIVE SERVICE REGULATIONS.

Report promptly to Local Board all changes of address.

o 3—5121

BHHC-2-5-6-2

5

Thursday, July 10, 1969

News-Bulletin, Belen, New Mexico

Obituaries

Walter Goebel

Walter Goebel, member of a pioneer Belen family, died at his home in La Mesa, Calif., June 27, after a short illness.

Memorial services were held in Lakeside Funeral Chapel in California. The body was cremated. Goebel's nephew, Wallace E. Goebel, also of California, brought the remains back to Belen, where they were placed in Terrace Grove Cemetery. He was a member of the La Mesa Baptist Church.

Goebel, 86, a longtime resident of Belen, moved to La Mesa six years ago. He was a member of the Belen Masnoic lodge, and was longtime secretary to the Terrace Grove Cemetery Association.

A prominent businessman, Goebel owned a ranch, a farm and several rental buildings in Belen before he moved. His father, Oscar Goebel, owned the Goebel and Sons Store, 223 N Main, until the early 1920's.

Goebel was survived by two brothers, Edgar and Herbert, both of California; one niece, Geraldine Kupfernagel, San Diego, Calif.; and one nephew,

BHHC-2-5-8
Goebel Will

Thursday, March 20, 1969

CARD OF THANKS

To neighbors and friends who extended sympathy with cards and flowers on the occasion of the death of my sister, Edna Wisdom. I offer my thanks.

Evelyn Johnson
2-3-20c

JOURNAL Friday, May 16, 1969

JOHNSON — Inez A. (Kissee) Johnson, 79, longtime resident of Los Lunas, died at a Belen hospital late Wednesday night following a long illness. She was a former resident of Belen and operated thhe Kissee Jewelry Store in Belen for several years. She is survived by her husband, Guy; one daughter, Mrs. Early Hunnicutt, of Tulsa, Okla.; and one brother, C. B. Dodson of Neosho, Mo. Funeral services will be held this morning at 10 at the Romero Funeral Home chapel in Belen. William D. Deweber officiating. Remains will be flown Friday afternoon to Mammoth Springs, Ark. where graveside services will be held Saturday in the family plot. Romero Funeral Home of Belen in charge of arrangements.

Mrs. Johnson Dies in Belen

Journal Special

BELEN — Longtime Los Lunas resident Mrs. Inez (Kissee) Johnson died Wednesday night at a Belen hospital following a long illness. She was 79.

Mrs. Johnson was a former Belen resident and operated the Kissee Jewelry Store there for several years.

Survivors include her husband, Guy, and a daughter and brother.

Funeral services will be held today at 10 a.m. at the chapel of the Romero Funeral Home here. Interment will be Saturday at the family plot in Mammoth Springs, Ark.

Thursday, July 10, 1969

News-Bulletin, Belen, New Mexico

Obituaries

Walter Goebel

Walter Goebel, member of a pioneer Belen family, died at his home in La Mesa, Calif., June 27, after a short illness.

Memorial services were held in Lakeside Funeral Chapel in California. The body was cremated. Goebel's nephew, Wallace E. Goebel, also of California, brought the remains back to Belen, where they were placed in Terrace Grove Cemetery. He was a member of the La Mesa Baptist Church.

Goebel, 86, a longtime resident of Belen, moved to La Mesa six years ago. He was a member of the Belen Masnoic lodge, and was longtime secretary to the Terrace Grove Cemetery Association.

A prominent businessman, Goebel owned a ranch, a farm and several rental buildings in Belen before he moved. His father, Oscar Goebel, owned the Goebel and Sons Store, 223 N Main, until the early 1920's.

Goebel was survived by two brothers, Edgar and Herbert, both of California; one niece, Geraldine Kupfernagel, San Diego, Calif.; and one nephew,

Thursday, March 20, 1969

CARD OF THANKS

To neighbors and friends who extended sympathy with cards and flowers on the occasion of the death of my sister, Edna Wisdom. I offer my thanks.

Evelyn Johnson
2-3-20c

JOURNAL Friday, May 16, 1969

JOHNSON — Inez A. (Kissee) Johnson, 79, longtime resident of Los Lunas, died at a Belen hospital late Wednesday night following a long illness. She was a former resident of Belen and operated thhe Kissee Jewelry Store in Belen for several years. She is survived by her husband, Guy; one daughter, Mrs. Early Hunnicutt, of Tulsa, Okla.; and one brother, C. B. Dodson of Neosho, Mo. Funeral services will be held this morning at 10 at the Romero Funeral Home chapel in Belen. William D. Deweber officiating. Remains will be flown Friday afternoon to Mammoth Springs, Ark. where graveside services will be held Saturday in the family plot. Romero Funeral Home of Belen in charge of arrangements.

Mrs. Johnson Dies in Belen

Journal Special

BELEN — Longtime Los Lunas resident Mrs. Inez (Kissee) Johnson died Wednesday night at a Belen hospital following a long illness. She was 79.

Mrs. Johnson was a former Belen resident and operated the Kissee Jewelry Store there for several years.

Survivors include her husband, Guy, and a daughter and brother.

Funeral services will be held today at 10 a.m. at the chapel of the Romero Funeral Home here. Interment will be Saturday at the family plot in Mammoth Springs, Ark.

2018-002-002

Goebel
ST. CHARLES, MO.
1856

CABLE ADDRESS { ASSAYER, NEW YORK
ROSARIO, SAN JUANCITO, HONDURAS

MINE ADDRESS:
SAN JUANCITO, HONDURAS, C.A.

NEW YORK & HONDURAS ROSARIO MINING CO.

17 BATTERY PLACE

WASHINGTON S. VALENTINE.
CHAIRMAN OF THE BOARD OF DIRECTORS

WILLIAM A. PRENDERGAST, PRESIDENT
SIDNEY ABBEY, VICE PRESIDENT
J. M. DeHART, VICE PRESIDENT
ERNEST SCHERNIKOW, TREASURER
J. PERLMAN, SECRETARY

NEW YORK April 28th, 1919.

Mr. W. H. Goebel,
818-8th Street,
Douglas, Ariz.

Dear Sir:

Replying to your letter of the 24th, we have no special application blanks, but if there is any position that you wish to apply for, if you will send us a letter with full particulars, we shall give same due consideration, should something turn up within your capabilities.

Yours very truly,

Secretary.

JP/JH

INCORPORATED UNDER THE LAWS OF

ARIZONA

No [redacted] Shares 1000

United Chino Oil and Refining Company

Capital Stock, $500,000.00

This Certifies that A. E. Goebel

One Thousand Shares of the Capital Stock of

United Chino Oil and Refining Company, fully paid and non-assessable,

transferable only on the books of the Corporation by the holder hereof in person or by Attorney, upon surrender of this Certificate properly endorsed.

In Witness Whereof, the said Corporation has caused this Certificate to be signed by its duly authorized officers and to be sealed with the Seal of the Corporation this [redacted] day of [redacted] A.D. 19[redacted]

SECRETARY

PRESIDENT

SHARES TEN CENTS EACH

BHC-268-2

CERTIFICATE

FOR

1,000

SHARES

OF THE

Capital Stock

United China Oil and Refining Company

ISSUED TO

W. E. Goebel

DATED

March 16, 1918

THE MC NEIL COMPANY, PHOENIX, ARIZONA

For Value Received, ... hereby sell, assign and transfer unto .....

..... shares of the Capital Stock represented by the within certificate, and do hereby irrevocably constitute and appoint .....

to transfer the said Stock on the books of the within named Corporation with full power of substitution in the premises.

Dated .....

In presence of

.....

NOTICE. THE SIGNATURE OF THIS ASSIGNMENT MUST CORRESPOND WITH THE NAME AS WRITTEN UPON THE FACE OF THE CERTIFICATE, IN EVERY PARTICULAR, WITHOUT ALTERATION OR ENLARGEMENT OR ANY CHANGE WHATEVER.

No. 5 in Index

The *Complete* GARDEN TRACTOR LINE

...for Commercial Gardeners and Growers
. . . Suburban or "City Farmers" . . .
Operators of Small Acres, Large Farms
and Ranches . . . Estates, Resorts, Etc.

Most Diversified Equipment — Designed for the Job by the Pioneers of the Garden Tractor Industry.

BOLENS PRODUCTS CO., Port Washington, Wis.

EXPORT DIVISION
ROCKE INTERNATIONAL CORP.
13 E. 40TH ST., NEW YORK, N. Y.

HUSKI Garden Tractors and Attachments are all that their name implies — sturdily built for reliable and continuous performance — many still being in operation after 20 years' service, speak for their quality and workmanship.

Years of pioneering and experimentation — quite frequently at the suggestion of Commercial Growers — with exclusive patented features — have all contributed to the leadership enjoyed by HUSKI.

Advanced engineering and re-designing have kept HUSKI equipment abreast of the many developments and uses the public will demand in the post-war era.

Powered Field and Lawn Mowing — new attachments and improvements in present ones for the Commercial Gardener, "City Farmer" and operators of large farms and ranches, have increased the acceptance and demand for HUSKI Motorized Equipment to where it is now the greatest in our history.

BOLENS PRODUCTS COMPANY

PORT WASHINGTON, WIS.

BOLENS
Famous HUSKI "Firsts"



FIRST with instant hitches for quick, easy implement change. No tools required.



FIRST with extra high clearance and adjustable tread.



FIRST with patented one-hand double clutch drive (power turning).



FIRST with an arched axle for clearance and vision. Adjustable tread.

FIRST with patented, ahead-of-the-axle tool control for automatic guiding of tools in close "precision" cultivation.

FIRST power hoe. (Described on page 10.)

The Basic Model of the Garden Tractor Industry—

THE HUSKI-GARDENER

This model sets the standard for all garden tractors. It is a complete power servant for Commercial Growers and "City Farmers" — replacing the horse and expensive big, heavy equipment for odd jobs on large farms and ranches.



Adjustable Widths

Center to center tread with 5.00 x 12 tires: 17", 19¼", 22¾", 25".

INSTANT HITCH makes it a complete packaged unit with all implements. (Without use of wrench.)

Model B6A4 and B6A5 2¾ H. P.

Patented Arched Axle. 17" high clearance.

Center to center tread with 4.00 x 12 tires: 16", 18¼", 21¾", 24".

WITH THE PACKAGE LINE OF IMPLEMENTS
Here Is What This HUSKI Does!

- Plows
- Harrows and Discs
- Seeders 1-3 Row
- Placement Fertilizer Distributor
- Cultivators 1-3 Rows
- Leaf and Vine Guard
- Field Mower
- Patented Tool Lift
- Snow Plows

SPECIFICATIONS

	B6A4	B6A5
Model		
Rated H.P.	2.75 H.P.	2.75 H.P.
Pneumatic tires	4.00x12	5.00x12
Length overall	78"	78"
Width overall	26"	26"
Height	35"	35"
Tread adjustable	See above under Adjustable Widths	
Width of tire	4"	5"
Clearance	17"	17"
Speeds forward	1	1
Approx. M.P.H.	3/5-4	3/5-4
Approx. net weight, lbs.	442	422
Approx. shipping weight, lbs.	525	475
Approx. export gross weight, lbs.	600	605

Wide Range of Speed Control — Complete Adjustability of handles to fit operator's comfort, and of tools for all soils and row spacing — Efficient and Accessible Roller Chain and Sprocket Drive— High Pressure Lubrication, fittings and grease gun furnished.

See These HUSKI Operating Features!

1. Extreme Accuracy — with Patented Precision Tool Control.
2. High Clearance and Vision — with Arched Axle.
3. Double Clutch Drive — Transmits Power to one or both wheels.
4. Easy Turning — with Patented One-Hand Power Turn.
5. Quick Change of Implements — with Patented Instant Hitch.
6. Easy Walking between the rows with Offset Handles.
7. Complete Adjustability of Tools — with Three-Way Adjustable Tool Holders up-and-down, side, and pitch adjustments.
8. Light Weight for Root Protection . . . Weight carried on each wheel is less than the weight of average man's foot. Cannot damage Root System overlapping between rows.
9. Precision Cultivating . . . Direction and Depth of weeding accurately guided to prevent damaging plants or roots.

Powerful, Four-Cycle Motor. Dustproof, built to the finest standards of the automotive industry. Combined Pump and Splash Lubrication. Gears running in oil. Adjustable float feed carburetor. Linite piston—drop-forged connecting rod—alloy steel crankshaft, hardened and ground. Anti-friction bearing on take-off side. Dustproof, moisture-proof high tension flywheel magneto with uniform hot spark for starting at all temperatures.

Correct Balance. Weight of motor counterbalances the tools, preventing waste of power due to torque bearing down on gauge wheel or tools, and affords easier turning.

HUSKI Gardener Attachments Following Page

Modern IMPLEMENTS and ACCESSORIES Available for

The HUSKI Gardener

PLOWING . . . An easy job for the HUSKI-GARDENER Plow Attachment. The BR244-8" plow attachment has a gauge wheel which is regulated by a crank lever to raise or lower the depth of the furrow instantly and while in motion. Attachment consists of frame with quick attaching brackets, plow and beam, gauge wheel and adjustable rolling coulter.

DISC HARROWING . . . Model BR-296A 8/11 Disc shown. A highly versatile tool, the HUSKI Disc Harrow can be used both for preparing the ground before seeding, for straddle or between-row cultivating of either flat or bedded land, also for tillage operation in orchards, vineyards, chicken runs and other uses. It is quickly and easily adjustable for pulverizing, hilling, barring off, and adjustable for varying row widths.



HARROWING . . . 18-tooth Drag Harrow DH280 has the HUSKI Instant Hitch with handy lever angle adjustment making it quickly adaptable to any soil condition. Used primarily for soil protection before seeding.



CULTIVATING . . . DJ101E One or Two-row Cultivator for Garden Type Tools, can be used to stride one narrow row and cultivate two complete middles. By alternating the rows straddled, very accurate work can be done on all rows every second time over. Can also be used for cultivating between wide rows. Fits Instant Hitch clamps.



CULTIVATING . . . Field Type . . . for wide row crops. DJ102A with six tool holder bars and standards for straddle or between-row cultivation Tool holder bars may be set as desired on cross bar for variety of work.

CULTIVATING . . . This "Instant Hitch" 5-tooth Expanding Lever Cultivator, sometimes referred to as a "Trucker" Cultivator, is used for between-row cultivating with Field Type Tools. The width of this cultivator can be instantly changed to suit width of row by means of hand lever, from a minimum of 13 to a maximum of 25½ inches. Five Cultivator Steels are included, as shown.

MOWING . . Sickle Bar front attachment — 42-inch bar. Easy to attach or remove. Fine for jobs supplementary to expensive big equipment.

SEEDING . . . Model AR150 — complete 3-row seeder with gang shut-off. Effects great savings in time and labor, also permits accurate multiple row cultivation. Variety of seed plates provided, giving ample adjustment for any seeds up to bush limas.

CULTIVATING . . . Model BR115—3-row knee action for garden type tools. The HUSKI Center Floating Cultivator is one of the most important specialized precision cultivators developed for use by commercial growers. In addition to having gauge wheels on either end, there is a floating "Knee-Action" center unit with independent gauge wheels. This enables the cultivator to do precise work where land is uneven because of slight ridges or depressions. In other words, the center unit "floats" on the contour of the land. Because of the parallel beam or "Knee-Action" design, the movements of the floating units are always straight up and down so the tools maintain their proper setting in the soil.



FERTILIZING . . . HUSKI Placement Fertilizer Distributor, for placing fertilizer in bands one side of three rows, saves fertilizer . . . increases yield. Used with seeding or cultivating. BR320-3 places fertilizer along one side of three rows. Can be set to any desired distance, depth and quantity. Also used for top dressing.



SNOW PLOWING . . An extra service that makes the HUSKI Gardener a valuable power unit the year around—42" scraper type. Does fine job of clearing walks, drives and parking areas. Quickly attachable.

Designed by . . . and for the Commercial Grower

The HUSKI HiBOY

- MORE High Clearance — To 23 Inches
- MORE Adjustable Widths — From 33" to 48" (Adjustable Every 2 Inches)

An elaboration or extension of the features of the HUSKI Gardener: developed for the Commercial Grower's specific needs.



INSTANT HITCH

Makes it a complete packaged unit with all implements. (Without use of wrench.)

Model HB63A4 and HB63A5 2¾ H.P.

HiBoys master the exceptionally tougher jobs . . .

Seeding and cultivating on bedded or furrow irrigated land —
Straddling tall crops such as celery, asparagus, tomatoes, nursery stock —
Cultivating onion sets or gladiolus bublets in single or double rows —
Working astride gangs of rows 8 inches apart or narrower, that cannot be worked with narrow tread tractors —
Cultivating strawberries in matted rows —
and many other tasks of amazing variety made possible by HUSKI HiBoy construction.

Specifications

MODEL	HB63A4	HB63A5
Tread adjustment—inches	33"-48"	33"-48"
Rated H.P.	2¾	2¾
Wheels	4.00x12 Pneumatic	5.00x12 Pneumatic
Clearance overall	23"	23"
Length overall	78"	78"
Width overall	55"	55"
Height overall	44"	44"
Net Weight, lbs.	445	445
Shipping Weight, lbs.	515	515

HUSKI HiBoy Operating Features

PATENTED PRECISION TOOL CONTROL — Cultivator pivoted ahead of the bull wheels axles — Steering of the tractor automatically leads the tools — a NATURAL control — no previous experience required.

PATENTED ONE-HAND POWER TURN — Separate clutches for each wheel controlled by divided handles. With one hand the operator can engage both clutches or either one separately. Wonderful convenience in turning and handling.

INSTANT HITCHES — Make attachments quickly interchangeable without the use of a wrench. Loosening or tightening two thumb nuts does the trick.

OFFSET HANDLES — The operator walks in comfort between rows instead of astride the row. This makes a big difference in a day's work.

EASY ADJUSTABILITY — All adjustments such as changing of tread and tightening of chains are out in the open, easy to see, convenient to get at. Rigidity and Strength, combined with light weight, is an outstanding HiBoy advantage.

OUTBOARD BEARINGS — keep the countershaft in line with the wheel arm shaft. Wheel Arm braces provide a rigid triangular construction with ample strength and least loss of clearance.

HiBoy Implement Accessories

Cultivators—Wheel Hoe Type Tools
Cultivators—Horse Type Tools
Seeders
Placement Fertilizer Distributor
Harrows and Discs
Leaf and Vine Guards
Patented Tool Lift

Modern IMPLEMENTS and ATTACHMENTS for the

HUSKI HiBOY Garden Tractor



SEEDING . . . Model HJ3 or HJ4 — complete 3 or 4-row seeders with gang shut-off. For accurate multiple row seeding also provides for multiple row cultivation, effecting great savings in time and labor.



CULTIVATOR . . . HB112 Cultivator Frame, 6 tool bars, 12 adjustable tool holders for 3-row cultivation with garden type tools. A low cost frame, very efficient on level land, containing many features of higher priced model.





CULTIVATOR . . . 3 or 4-row — Model HB116 3-row — Model HB115 4-row. This HUSKI Center Floating Cultivator is one of the most important specialized precision cultivators developed for use by commercial growers. In addition to having gauge wheels on either end, there is a floating "Knee-Action" center unit with independent gauge wheels. This enables the cultivator to do precise work where land is uneven because of slight ridges or depressions. In other words, the center unit "floats" on the contour of the land. Because of the parallel beam or "Knee-Action" design, the movements of the floating units are always straight up and down so the tools always maintain their proper setting in the soil.

CULTIVATOR . . . Model HB102 Field Type . . . 44" cross bar, 6 tool bars, 6 tool standards. For wide row crops. For straddling or between-row cultivation. Tool holder bars may be set as desired on cross bars for variety of work. Quick installation can be had with the Instant Hitch Clamp.



FERTILIZING . . . HUSKI Placement Fertilizing Distributor Model HB320-3 3-row and Model HB322-4 4-row. Furnished with 3 sets of spouts, shoes and covers for use with 3 or 4-row seeders or cultivators. Places fertilizer in bands one side of 3 or 4 rows. Saves fertilizer and increases yield. Can be set to any desired distance, depth or quantity. Also used for top dressing.





DISC HARROW . . . Model HB296A 8/11 Disc Harrow. A highly versatile tool, the HUSKI Disc Harrow can be used both for preparing the ground before seeding, for straddle or between-row cultivating of either flat or bedded land also for tillage operation in orchards, vineyards, chicken runs and other uses. It is quickly and easily adjustable for pulverizing, hilling, barring off, and adjustable for varying row widths.

LEAF AND VINE GUARD . . . Model HB164A HUSKI Leaf and Vine Guards are important for protection of plant foliage in the later stages of cultivation. Attached to your HUSKI Tractor, they sweep aside leaves and vines before they can be crushed or damaged by tractor wheels.



HARROWING . . . 18-tooth Drag Harrow Model 8E280 quickly attached in the Instant Hitch Clamp. Has a handy lever angle adjustment making it quickly adaptable to any soil condition.

ACTION

Of the Famous

In Actual

This Is What Their

HUSKI GARDENER cultivating three rows of spinach — operated by boy of 13.

A Kansas Farmer . . .

writes that his Bolens HUSKI Tractor enabled him to make a third acre of waste land produce $110 in one year, and $99 the next — besides raising enough garden stuff to feed five persons, representing a food saving of at least $10.00 a week.

A Florida Farmer-Carpenter . . .

Running his ten-acre truck farm in the country, and working all day in the city as a carpenter was a difficult problem for a Florida man — until he bought a Bolens HUSKI Garden Tractor. As a result, he was able to do his planting

HUSKI Power-Ho close-cultivating in two rows

HUSKI Garden Tractor



For GARDENER and HiBOY Only

HUSKI HiBoy Placement-Fertilizing high standing row crop.

PHOTOS...

HUSKI Gardeners

Operation

Owners Say —

and fertilizing in one operation, saving himself hours of back-breaking hand labor.

A New York State Commercial Grower . . .

reports that by using a Bolens HUSKI Tractor he can combine a fertilizer and a 3 or 4-row sower to seed the rows in which the fertilizer is placed. Just two men are needed — one to drive the tractor, and the other to keep the fertilizer attachment filled and to weigh the seed. The two men do this job that formerly needed eight — and in half the time, at less cost for fertilizer and with more even distribution of the seed.

HUSKI GARDENER cultivating evergreen seedlings in a northern nursery.

Patented TOOL LIFT

The HUSKI GARDENER Patented Tool Lift is one of the grower's most valuable recent developments. When installed on HUSKI implements, it permits lifting the tools out of the ground quickly and easily for turning. With the lift lever in upright position, the two wheels serve as rigid cultivator gauge wheels. Pulling the lever back lowers these wheels and automatically releases them from the latch for free turning action as tools are lifted out of ground. The HUSKI GARDENER Tool Lift can be installed on cultivators, seeders, disc harrows, in fact all attachments which have a cross bar for attaching to the instant hitch.

HUSKI HiBOY with Discing Attachment.

HUSKI GARDENER precision-cultivating between rows of standard corn.

A Handy Friend and Companion

The SUPER-HUSKI POWER-HO

A Real High Class Garden Tractor at a Popular Price

That will make gardening a pleasure — for the back yard gardener, the suburban or "City Farmer" — Estate and Resorts — the farmer's wife. No more back-breaking toil when hoeing, cultivating, seeding, light furrowing, hilling, etc. — also snow plowing and lawn mowing, and —

A Newly Designed Sickle Bar or Power Scythe for Field and Rough Mowing



Model 12A4
with 1 or 2-Row
Cultivator
Standard Equipment
1½ H.P.

The FIRST Successful Power Hoe

The Super-HUSKI Power-Ho was the first successful Low Cost Motorized Wheel Hoe built. Today it belongs in every garden, on every farm and ranch. In use, it will straddle rows as narrow as 11 inches. The clearance is 13 inches and the wheel tread with pneumatic tires (4.00 x 12) has a tread of 16" to 21½". Motor is 4-cycle, air-cooled, with flywheel magneto — all moving parts enclosed. It brings modern mechanized Power Gardening within the reach of thousands of gardeners unable to afford larger models.

SNOW PLOW OR GRADER

An extra service that makes the Super-HUSKI Power-Ho a valuable power unit the year around — scraper type. Does fine job of clearing walks, drives and parking areas. Quickly attachable.

Specifications

Model	12A4
Tread center to center of tires	16" and 21½"
Clearance overall	13"
Vision ahead of tools (avg.).	36"
Length overall	67"
Height overall	29½"
Speed—Approx. M.P.H.	1¾ to 3
Motor—4-cycle air-cooled	Rated 1½ H.P.
Net weight, approx.	230 lbs.
Shipping weight, approx.	270 lbs.

Implement Accessories

One Row Seeder with Hitch.
Snow Plow — Scraper Type.
Sickle Bar Mowing Attachment.
One-row Cultivator.
Standard Equipment

SICKLE BAR

Easy to attach or remove from front of tractor; 30-inch cutting bar. Also does a supplementary job for big, expensive equipment.

ONE-ROW SEEDER

With Marker and Hitch. Saves time and labor. Permits accurate row cultivation. Will handle all the planting of any vegetable seeds up to bush lima beans.

HUSKI TYPE G CULTIVATING TOOLS

Formerly know as "Wheel Hoe" type tools, HUSKI Type G Tools are used for precision work in garden and field crops. They are available for a wide variety of uses for all row crops, and fit on "Wheel Hoe" type tool holders and standards.

HUSKI SPRING TOOTH No. DH221

Designed for coarser cultivation in trashy or stony land. Also effective to destroy quack or crab grass.

When Ordering, Specify:

Model DH221 — HUSKI Spring Tooth No. 999287

PLOW

Land side plow used for garden plowing. Two No. R-8 can be attached together to make a small gang plow.

When Ordering, Specify:

Model R8—Landside Plow—No. 181107



FURROW OPENER

(Double Moldboard Plow)—A small middle burster that is very useful at planting time. It may also be used to make a small 4" deep trench for setting bulbs.

When Ordering, Specify:

Model DH213—Furrow Opener—No. 999311

HILLING BLADES

Used to fill in the furrows made by the Furrow Opener, also for "barring off" before fertilizing and then "laying by" to cover the application.

When Ordering, Specify:

Model M8—Hilling Blade—R. H. No. 181105

Model N8—Hilling Blade—L. H. No. 181106

WIDE CULTIVATOR TEETH

2" Cultivator Teeth—No. 1697 with U-9 Standards.

When Ordering, Specify:

Model 101818 — Cultivator Teeth, 2" with U-9 Standards

DUCK FOOT CULTIVATOR TOOTH No. 4183

"Duck Foot" type used also for mulching in clean land, free from crust, stir up a wider strip of soil.

When Ordering, Specify:

Model 4183—Duck Foot Cultivator Tooth No. 181353



WIDE ANGLE HOES

6" Wide Angle Hoes are recommended for weeding operations in clean sand, loam or clay soil. Led runner point cuts through the crust, but if the land is not clean it has a tendency to drag trash. These are standard hoes, successful in a wide variety of soils. Hoes are polished and sharpened, ready for work.

When Ordering, Specify:

Model S120 — 6" Wide Angle Hoe—R. H. No. 181203

Model S121 — 6" Wide Angle Hoe—L. H. No. 181204

HUSKI IMPROVED HOE WITH ADJUSTABLE TOP

Developed to meet conditions for which there seemed to be no efficient cultivating tool on the market. The blade of this shoe is curved, producing an effect similar to that of a disc cultivator, but with the advantage that its special shape has a lifting tendency on the plants so they are not damaged as the tool passes through. Makes possible cultivating closer to the plants. Turns top dirt and weeds away from plants, often covering weeds with dirt. When used prior to thinning such crops as lettuce and onions, it speeds up the hand work and reduces cost. Adjustable top permits adjustment of cutting angle to suit soil and crop conditions. Blades are made of hardened steel, and will hold a good sharp edge.

When Ordering, Specify:

Model DH206—HUSKI Improved Hoe—R. H. No. 999305

Model DH207—HUSKI Improved Hoe—L. H. No. 999306



HUSKI MUCK HOE

For difficult cultivating conditions in peat land. Design is entirely different than anything on the market. Will not drag trash even in very light, fluffy soil. Angle of cutting edge adjustable.

When Ordering Specify:

Model DH204L — HUSKI Muck Hoe—R. H. No. 999282

Model DH205L — HUSKI Muck Hoe—L. H. No. 999283



HUSKI TRIANGLE HOE

Designed for surface cultivation between rows when the tops are too large to permit ordinary tools to work along side of the row. Can be used for flat weeding and mulching, or tipped forward for slight hilling.

When Ordering, Specify:

Model DH208 — 8" HUSKI Triangle Hoe —No. 999310





DISC HOES

The 7" Disc Hoes are for those who can use a small disc in light garden cultivating. They are adjustable. Can be used as pulverizers wen set straight. If set at an angle by means of a shank adjustment, they will either "lay by" or "bar off", as the case may be.

When Ordering, Specify:

Model DH210—7" Disc 5" Cut—No. 181251 (sold in sets of 2)

Model DH211—7" Disc 10" Cut—No. 181252 (sold in sets of 2)

OTHER HORSE TYPE TOOLS

It is impossible to show on this page all of the various horse type tools that can be used on the horse type cultivator frames on BOLENS Tractors. If you wish to do some particular job with your BOLENS Tractor and know of a special horse type tool that would be suitable you can undoubtedly buy what you need from your HUSKI dealer or write us and we will help our dealers to obtain it for you.

HUSKI TYPE F CULTIVATING TOOLS

Type F Cultivating Tools, formerly designated as "Horse Type Tools," are used for field cultivating of wide row crops such as corn, potatoes, cabbage, etc. Such tools have been used on horse cultivators and farm tractors for a great many years. To attach these tools the cultivator must be equipped with a suitable standard such as you find on our field cultivators.

STEELS

The Steels are used for deeper and coarser cultivation. The wider the blade the more dirt is moved in teh operation. These are not recommended for close work in small crops.

Model 2368—2¼ x 8" STEELS with Bolt No. 181452
Model 2369—3 x 8" STEELS with Bolt No. 181453
Model 1156—1¼ x 8" STEEL with Bolt No. 181451
Model 1161—10" FURROWER with Bolt No. 181501
Model 1167—6" HILLING BLADE with Bolt No. 181176, R. H.
Model 1168—6" HILLING BLADE with Bolt No. 181177, L. H.
Model 4930—7" IMPROVED HALF SWEEP, Bolt No. 181405, L. H.
Model 4931—7" IMPROVED HALF SWEEP, Bolt No. 181406, L. H.

SPRING TEETH

LJ Spring Teeth (1½" wide) have an adapter clip and bolt for attaching to the tool holder bars. These Spring Teeth are recommended for rough cultivating or spring tooth harrowing with the cultivator.

When Ordering, Specify:

Model LJ—Spring Tooth with Adapter No. 999303

Buy Your Garden Tractor from a Recognized Dealer in Implements!

His Equipment and Experience Assure You the Utmost in Performance and Service

Bolens HUSKI Garden Tractors and Attachments are sold only through Authorized Dealers — Your local dealer's name will be furnished by writing to the factory.



Parts Service —

A complete stock of parts is always carried on hand for EVERY BOLENS Tractor (now known as HUSKI Tractors). We have filled orders for parts on tractors manufactured from 15 to 20 years ago — an indication also of the type of long-life service you can expect from HUSKI Garden Tractors.

BOLENS PRODUCTS COMPANY

PORT WASHINGTON, WIS.

Division of Automatic Products Co.

Form No. 550130 Printed in U.S.A.

BHHC-2-5-8

W.E Goebel, obit, will